

Veterans Memorial Park Concept Design by Craig Church, A Crescent Moon October 2016








SCHEME: PLAN VIEW



PERSPECTIVE VIEW

Looking south-west from Sheridan Avenue and Dove Street






SiteCraft SiteCraft Benches



Pink Granite




Gray Granite

SHERIDAN HOLLOW WAR MEMORIAL

DESIGN SCHEMATICS 2016





P.O. BOX 226, BROADALBIN, NY 12925
518 706-9976
acrescentmoonllc.com




LAYOUT & MATERIALS NOTES:

- 1. ALL EXISTING SURVEY AND TOPOGRAPHICAL DATA TAKEN FROM SURVEY BY HERSHBERG & HERSHBERG CONSULTING ENGINEERS AND LAND SURVEYORS DATED AUGUST 8, 2016, MAP FILE 160225. ALL ELEVATIONS ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM, 1988 (NAVD 88). SEE SURVEY SHEET V1 FOR SURVEY LEGEND.
- 2. THE CONTRACTOR SHALL VERIFY ALL EXISTING SITE CONDITIONS, BOTH ABOVE AND BELOW THE SURFACE. ANY DISCREPANCIES BETWEEN INFORMATION SHOWN ON THE DRAWINGS AND ACTUAL FIELD CONDITIONS SHALL BE BROUGHT TO THE ATTENTION OF THE RESIDENT ENGINEER AND PARKS IN WRITING PRIOR TO COMMENCING WORK.
- 3. LOCATIONS OF EXISTING TREES SHALL BE VERIFIED IN THE FIELD.
- 4. NO CHANGES SHALL BE MADE TO THE DESIGN OR LAYOUT WITHOUT THE WRITTEN APPROVAL OF THE LANDSCAPE ARCHITECT. LAY OUT THE WORK AS DIMENSIONED ON THE PLANS. WRITTEN DIMENSIONS SHALL GOVERN; DO NOT SCALE DISTANCES.
- 5. CONTRACTOR SHALL LAY OUT AND STAKE IN THE FIELD THE ALIGNMENT AT ALL PATHS, PAVEMENTS AND TRAILS FOR REVIEW BY THE LANDSCAPE ARCHITECT. ADJUSTMENTS MAY BE MADE ONLY AS DIRECTED BY THE LANDSCAPE ARCHITECT. CONTRACTOR MAY NOT PROCEED WITH CONSTRUCTION OF IMPROVEMENTS UNTIL HE HAS RECEIVED THE FINAL APPROVAL OF THE LAYOUT FROM THE LANDSCAPE ARCHITECT.
- 6. ALL NEW PAVEMENTS CURBS AND EXISTING PAVEMENTS AND CURBS TO REMAIN SHALL MEET IN SMOOTH FLUSH CONDITION UNLESS NOTED OTHERWISE. NEW CURBS, WALLS, AND PAVEMENTS SHALL BE BUILT TO A SMOOTH EVEN FINISH WITH A CONSISTENT TOP AND PROFILE WITHOUT WAVES OR IRREGULARITIES. ANY WORK NOT MEETING THIS QUALITY STANDARD SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE.
- 7. THE CONTRACTOR SHALL EXERCISE CARE DURING EXCAVATION OPERATIONS TO AVOID DISTURBING ADJACENT FACILITIES, SUBGRADE STRUCTURES AND TREES. ALL DAMAGE RESULTING FROM THE CONSTRUCTION SHALL BE THE CONTRACTOR'S RESPONSIBILITY AND SHALL BE REPAIRED AT NO EXPENSE TO THE CITY AND DPR. ALL REPAIR WORK SHALL BE TO THE SATISFACTION OF THE RESIDENT ENGINEER. PLANTED AREAS DISTURBED BY CONTRACTOR'S WORK SHALL BE RESTORED AS DIRECTED BY THE LANDSCAPE ARCHITECT.
- 8. NO HEAVY MACHINERY, EQUIPMENT OR STOCKPILING OF MATERIAL IS PERMITTED WITHIN THE DRIP LINES OF EXISTING TREES.
- 9. THE CONTRACTOR SHALL TAKE SPECIAL CARE TO PROTECT ALL EXISTING TREES AND THEIR ROOT SYSTEM. EXCAVATIONS WITHIN THE DRIP LINES OF TREES SHALL BE KEPT TO A MINIMUM AND SHALL BE COMPLETED BY HAND ONLY AND SHALL BE PERFORMED IN THE PRESENCE OF THE RESIDENT ENGINEER, AT NO ADDITIONAL EXPENSE TO THE CITY. ROOTS OVER TWO (2) INCHES DIAMETER SHALL NOT BE DISTURBED. BRIDGE CURBS SHALL BE CONSTRUCTED OR THE AMOUNT OF FOUNDATION MATERIAL SHALL BE REDUCED WHERE NECESSARY, AS DIRECTED BY THE ENGINEER.
- 10. THE CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING LONG LEAD ITEMS AND ORDERING THESE MATERIALS IN A TIMELY MANNER.





MAP NOT TO SCALE



SEAL

SHERIDAN HOLLOW WAR MEMORIAL

PROJECT TITLE

Layout and MaterialsPlan

SHEET TITLE

CONSULTANT

CSC
DRAWN BY

CHECKED BY

DATE

October 13, 2020

PROJECT NO.


REVISIONS

S-1

A Crescent Moon LLC PO Box 226 Broadalbin New York 12025
PH. 518.706.9976 or 518.706.9918.
acrescentmoonlic.com


SHEET NO.

These documents illustrate an original design and are the property of A Crescent Moon LLC (ACM), who retains all common law, statutory and other reserved rights, including copyright. They may not be reproduced or used for any purpose without ACM consent.



LAYOUT & MATERIALS NOTES:

- 1. ALL EXISTING SURVEY AND TOPOGRAPHICAL DATA TAKEN FROM SURVEY BY
 _______, DATED XXX, MAP FILE XXX. ALL ELEVATIONS ARE BASED ON THE NORTH
 AMERICAN VERTICAL DATUM, 1988 (NAVD 88). SEE SURVEY SHEET XXX FOR SURVEY LEGEND.
- 2. THE CONTRACTOR SHALL VERIFY ALL EXISTING SITE CONDITIONS, BOTH ABOVE AND BELOW THE SURFACE. ANY DISCREPANCIES BETWEEN INFORMATION SHOWN ON THE DRAWINGS AND ACTUAL FIELD CONDITIONS SHALL BE BROUGHT TO THE ATTENTION OF THE RESIDENT ENGINEER AND PARKS IN WRITING PRIOR TO COMMENCING WORK.
- 3. LOCATIONS OF EXISTING TREES SHALL BE VERIFIED IN THE FIELD.
- 4. NO CHANGES SHALL BE MADE TO THE DESIGN OR LAYOUT WITHOUT THE WRITTEN APPROVAL OF THE LANDSCAPE ARCHITECT. LAY OUT THE WORK AS DIMENSIONED ON THE PLANS. WRITTEN DIMENSIONS SHALL GOVERN; DO NOT SCALE DISTANCES.
- 5. CONTRACTOR SHALL LAY OUT AND STAKE IN THE FIELD THE ALIGNMENT AT ALL PATHS, PAVEMENTS AND TRAILS FOR REVIEW BY THE LANDSCAPE ARCHITECT. ADJUSTMENTS MAY BE MADE ONLY AS DIRECTED BY THE LANDSCAPE ARCHITECT. CONTRACTOR MAY NOT PROCEED WITH CONSTRUCTION OF IMPROVEMENTS UNTIL HE HAS RECEIVED THE FINAL APPROVAL OF THE LAYOUT FROM THE LANDSCAPE ARCHITECT.
- 6. ALL NEW PAVEMENTS CURBS AND EXISTING PAVEMENTS AND CURBS TO REMAIN SHALL MEET IN SMOOTH FLUSH CONDITION UNLESS NOTED OTHERWISE. NEW CURBS, WALLS, AND PAVEMENTS SHALL BE BUILT TO A SMOOTH EVEN FINISH WITH A CONSISTENT TOP AND PROFILE WITHOUT WAVES OR IRREGULARITIES. ANY WORK NOT MEETING THIS QUALITY STANDARD SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE.
- THE CONTRACTOR SHALL EXERCISE CARE DURING EXCAVATION OPERATIONS TO AVOID DISTURBING ADJACENT FACILITIES, SUBGRADE STRUCTURES AND TREES. ALL DAMAGE RESULTING FROM THE CONSTRUCTION SHALL BE THE CONTRACTOR'S RESPONSIBILITY AND SHALL BE REPAIRED AT NO EXPENSE TO THE CITY AND DPR. ALL REPAIR WORK SHALL BE TO THE SATISFACTION OF THE RESIDENT ENGINEER. PLANTED AREAS DISTURBED BY CONTRACTOR'S WORK SHALL BE RESTORED AS DIRECTED BY THE LANDSCAPE ARCHITECT.
- 8. NO HEAVY MACHINERY, EQUIPMENT OR STOCKPILING OF MATERIAL IS PERMITTED WITHIN THE DRIP LINES OF EXISTING TREES.
- 9. THE CONTRACTOR SHALL TAKE SPECIAL CARE TO PROTECT ALL EXISTING TREES AND THEIR ROOT SYSTEM. EXCAVATIONS WITHIN THE DRIP LINES OF TREES SHALL BE KEPT TO A MINIMUM AND SHALL BE COMPLETED BY HAND ONLY AND SHALL BE PERFORMED IN THE PRESENCE OF THE RESIDENT ENGINEER, AT NO ADDITIONAL EXPENSE TO THE CITY. ROOTS OVER TWO (2) INCHES DIAMETER SHALL NOT BE DISTURBED. BRIDGE CURBS SHALL BE CONSTRUCTED OR THE AMOUNT OF FOUNDATION MATERIAL SHALL BE REDUCED WHERE NECESSARY, AS DIRECTED BY THE ENGINEER.
- 10. THE CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING LONG LEAD ITEMS AND ORDERING THESE MATERIALS IN A TIMELY MANNER.



SHERIDAN HOLLOW WAR MEMORIAL

PROJECT TITLE

Layout and MaterialsPlan

CSC CSC

DATE October 13, 2020

PROJECT NO.

A Crescent Moon LLC PO Box 226 Broadalbin New York 12025 PH. 518.706.9976 or 518.706.9918.

SHEET NO.

These documents illustrate an original design and are the property of A Crescent Moon LLC (ACM), who retains all common law, statutory and other reserved rights, including copyright. They may not be reproduced or used for any purpose without ACM consent.

SHERIDAN HOLLOW WAR MEMORIAL

SCHEME 1

ALBANY, NEW YORK

A CRESCENT MOON LLC

DATE: MARCH 15, 2020



DRAFT ESTIMATE

ITEM			-				
NO.	ITEM DESCRIPTION	UNIT	PRIC	E	QTY	AMOUNT	
	General Requirements						
2	MOBILIZATION (N.T.E. 4% OF TOTAL OF ALL OTHER ITEMS)	LS			1	\$2,570.12	LUMP SUM
	Removals (General)		\$	_	0	\$0.00	
3	REMOVALS (N.T.E.\$)	LS	\$	800.00	1	\$800.00	LUMP SUM
	Site Work		\$	-	0	\$0.00	
4	ROCK EXCAVATION	CY	\$	924.00	1	\$924.00	CUBIC YARD
5	UNCLASSIFIED EXCAVATION MONUMENT AREA	CY	\$	135.00	22	\$2,970.00	CUBIC YARD
6	UNCLASSIFIED EXCAVATION PARK AREA	CY	\$	135.00	60	\$8,100.00	CUBIC YARD
7	EARTH MOVING OPERATIONS FOR MONUMENT	CY	\$	70.40	10	\$704.00	CUBIC YARD
	Erosion Control, Containment And Permits				0	\$0.00	
8	ALLOWANCE FOR CITY OF ALBANY PERMITS	AL	\$	500.00	1	\$500.00	ALLOWANCE
9	TEMPORARY SILT FENCE	LF	\$	16.50	30	\$495.00	LINEAR FOOT
	Utilities-Drainage		\$	-	0	\$0.00	
10	BROKEN STONE - LOOSE MEASURE	CY	\$	132.00	12	\$1,584.00	CUBIC YARD
	Pavement - New		\$	-	0	\$0.00	
11	STEEL FABRIC REINFORCED CONC PAVEMENT (MEM)	SY	\$	220.00	65	\$14,300.00	SQUARE YARD
	Masonry - Concrete		\$	-	0	\$0.00	
12	AVERAGE CONCRETE	CY	\$	1,210.00	1	\$1,210.00	CUBIC YARD
	Site Furnishings		\$	_	0	\$0.00	
13	25 FT ALUMINUM FLAGPOLE	EΑ	\$	1,750.00	0.5	\$875.00	EACH
14	SITECRAFT BENCHES	LF	\$	205.00	26	\$5,330.00	LINEAR FOOT
	Paint - Pavements/Signs		\$	-	0	\$0.00	
15	TOPSOIL FOR SEEDED AND SODDED AREAS	CY	\$	121.00	25	\$3,025.00	CUBIC YARD
16	SEED NEW LAWN	SY	\$	13.75	110	\$1,512.50	SQUARE YARD
	Landscape - General		\$	-	0	\$0.00	
17	SHREDDED BARK MULCH	SY	\$	15.95	9	\$143.55	SQUARE YARD
18	PLANT STREET TREE 2 1/2"-3" CAL.	EΑ	\$	1,760.00	3	\$5,280.00	EACH
	Miscellaneous		\$	_	0	\$0.00	
19	STAINLESS STEEL PLAQUE	EΑ	\$	1,500.00	1	\$1,500.00	EACH
	Custom Items						
	GRANITE MEMORIAL	EΑ	\$	15,000.00	1	\$15,000.00	LUMP SUM
X							1
	COMPLETE BASE TOTAL W/O MOBILIZATION					\$66,823.17 \$64,253.05	
. !							•

1